EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7624	709/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L2	86	(@ad<"20010619" or @rlad<"20010619") and dynamic$6 near15 (type$1 or select$4) near15 (measur $7 or performanc$4) near14 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L3	4	(@ad<"20010619" or @rlad<"20010619") and type$1 near15 (measur$4 or performan$4) near15 transfer$5 near3 size$1 and response near time$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L4	48	(@ad<"20010619" or @rlad<"20010619") and throughput$4 near15 (large or small) and (laten$4 or (response near time$1)) near15 (small or large) and measur$7 near15 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:50
L5	1	l1 and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:51
L6	0	l1 and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:51
L7	1	l1 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:51
S10	150	(@ad<"20010619" or @rlad<"20010619") and select$4 near15 server and measur$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:51

S11	0	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 mirror near3 server and measur$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:51
S12	290	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 mirror and measur$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:52
S13	1	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 server and measur$4 near10 type$1 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:52
S14	0	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 server and (determin$4 or select$4) near15 type$1 near10 measur$4 near10 type$1 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:53
S15	0	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 server and (determin$4 or select$4) near15 type$1 near10 measur$4 same large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:53
S16	201	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 server$1 and (determin$4 or select $4) near15 type$1 near10 measur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:54
S17	1	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 server$1 and (determin$4 or select $4) near15 type$1 near10 measur$6 near15 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:54
S18	16	(@ad< "20010619" or @rlad< "20010619") and select$4 near15 server$1 and type$1 near10 measur $6 near15 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:55

S19	24	(@ad<"20010619" or @rlad<"20010619") and select$4 near15 fastest near14 server$1 and size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 19:58
S20	8	(@ad<"20010619" or @rlad<"20010619") and select$4 near15 fastest near14 server$1 and large same small	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:14
S21	11	(@ad<"20010619" or @rlad<"20010619") and select$4 near15 fastest near14 (size or (large same small))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:17
S22	102706	(@ad<"20010619" or @rlad<"20010619") and measur$6 near14 (size or (large same small))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:20
S23	459	(@ad<"20010619" or @rlad<"20010619") and measur$6 near14 transfer$5 near2 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:36
S24	27	(@ad<"20010619" or @rlad<"20010619") and different near10 measur$6 near14 transfer$5 near2 size $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:36
S25	3	(@ad<"20010619" or @rlad<"20010619") and measur$6 near14 transfer$5 near2 size$1 and fastest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:39
S26	45	(@ad<"20010619" or @rlad<"20010619") and measur$6 near14 transfer$5 near2 size$1 and server$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:39
S27	13261	(@ad<"20010619" or @rlad<"20010619") and measur$6 near14 throughput near14 small or large and transfer$5 near2 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:53

S28	1	(@ad<"20010619" or @rlad<"20010619") and measur$6 near14 throughput $4 near14 (small or large) and transfer$5 near2 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:53
S29	283	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 (small or large) and measur$7 near15 (large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:56
S30	9	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 (small or large) and measur$7 near15 latenc $4 near15 (large or small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:56
S31	27	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 (small or large) and measur$7 near15 (large or small) and type$1 near3 measurement$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 20:58
S32	63	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 (small or large) and measur$7 near15 (large or small) and measur$7 near15 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:02
S33	45	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 (small or large) and measur$7 near15 (large or small) and measur$7 near15 size$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:02
S34	197226	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 threshold$1 measur$7 near15 size$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:06
S35	11	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 throughput $4 near14 threshold$1 and measur$7 near15 size$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:06

S36	1940	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 threshold $1 and threshold$4 near15 size$1 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:10
S37	7	(@ad<"20010619" or @rlad<"20010619") and measur$7 near14 threshold $1 and threshold$4 near15 size$1 and throughput and latenc$4 and response near time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:10
S38	309	(@ad<"20010619" or @rlad<"20010619") and (select$4 or switch$4) near15 type$1 near15 (measur$7 or performanc $4) near14 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:13
S39	33	(@ad<"20010619" or @rlad<"20010619") and (select$4 or switch$4) near15 type$1 near15 (measur$7 or performanc $4) near14 size$1 and throughput$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:14
S40	14	(@ad<"20010619" or @rlad<"20010619") and dynamic$6 near15 (type$1 or select$4) near15 (measur $7 or performanc$4) near14 size$1 and throughput$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:16
S41	14	(@ad<"20010619" or @rlad<"20010619") and dynamic$6 near15 (type$1 or select$4) near15 (measur $7 or performanc$4) near14 size$1 and throughput$1 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:17
S42	86	(@ad<"20010619" or @rlad<"20010619") and dynamic$6 near15 (type$1 or select$4) near15 (measur $7 or performanc$4) near14 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:18
S43	72	(@ad<"20010619" or @rlad<"20010619") and dynamic$6 near15 (type$1 or select$4) near15 (measur $7 or performanc$4) near14 size$1 not (S39 or S40)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:18

S44	61	(@ad<"20010619" or @rlad<"20010619") and type$1 near15 (measur$4 or performan$4) near15 transfer$5 near3 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:20
S45	7	(@ad<"20010619" or @rlad<"20010619") and type$1 near15 (measur$4 or performan$4) near15 transfer$5 near3 size$1 and throughput$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:20
S46	4	(@ad<"20010619" or @rlad<"20010619") and type$1 near15 (measur$4 or performan$4) near15 transfer$5 near3 size$1 and response near time$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:20
S47	442	(@ad<"20010619" or @rlad<"20010619") and throughput$4 near15 (large or small) and (laten$4 or (response near time$1)) near15 (small or large)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:23
S48	287	(@ad<"20010619" or @rlad<"20010619") and throughput$4 near15 (large or small) and (laten$4 or (response near time$1)) near15 (small or large) and measur$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:23
S49	47	(@ad<"20010619" or @rlad<"20010619") and throughput$4 near15 (large or small) and (laten$4 or (response near time$1)) near15 (small or large) and measur$7 near15 size$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 21:23

8/1/08 11:52:08 AM
C:\ Documents and Settings\ plee2\ My Documents\ EAST\ Workspaces\ 09884674pcl.wsp